


TS **20**25 .C723



COLSON Trucks



Factory and General Offices Elyria, Ohio



# Colson Trucks

for COMMERCIAL USE

Equipped with ball-bearing and rubber tired wheels



Business Established in 1885

Manufactured by

# The Colson Company

Elyria, Ohio, U.S.A.

#### BRANCH-OFFICES AND WAREHOUSES

NEW YORK 7 East 19th Street

CHICAGO LOS ANGELES, CAL. 235 W. Randolph St. 1317 Willow St.

BOSTON 87 High Street PHILADELPHIA 222 North 15th St.

BALTIMORE 116 So. Eutaw Street

BUFFALO 52 Pearl Street

CINCINNATI DETROIT, MICH. 423 Elm Street 223 W. Larned St. 223 W. Larned St.

CLEVELAND, O. PITTSBURGH, PA.
115 St. Clair Ave., N. E. 49 Terminal Way, South 49 Terminal Way, South Side N selecting trucks for the modern building the buyer must choose from the several types on the market the truck which most nearly meets all the demands for his particular needs.

The long life of COLSON trucks and the ease of operation are due principally to the high-grade ball-bearing casters used.

From the wheels up COLSON trucks are made stronger by following the structural steel method of building.

They are quiet because of the ball-bearing wheels and swivel casters—ball bearings permit an adjustment which eliminates rattle.

COLSON wheels are equipped with high-grade molded rubber tires, aluminum alloy tires or steel tires.

Warehouse stocks at New York, Chicago, Los Angeles, Boston, Philadelphia, Baltimore, Buffalo, Cincinnati, Detroit, Cleveland and Pittsburgh. Eleven convenient sources of supply for your truck and wheel requirements.


THE COLSON COMPANY Elyria, Ohio

#### Model 1065

A small, quiet truck, so light in weight that it can be carried with one hand. It will get under a heavy load and move it in silence. The frame is made of steel angles and the wheels are ball-bearing and rubber-tired. Finish, olive green.

Width				
Height				. 45"
Wheel equipm	ent	t, 5	-inc	h
wheels				15-BF
Weight, net				6 lbs.
Weight, crated				25 lbs.





#### Model 1067

Model 1067 is the 1065 truck equipped with a galvanized tank. The tank may be easily and quickly taken off. There are two projecting studs on the toe plate which engage the bottom edge of the tank to prevent it slipping off. The latch visible on the handle pushes over sideways, releasing the tank at the top.


The contract of the contract o			1000				
Width of truck							
Height of truck						, ,	45"
Wheel equipment, 5-inc	h w	heel:	· .				. M5-BF
Tank, galvanized					. 1:	2" x	18" x 30"
Weight, net							. 47 lbs.
Weight, crated				1			. 89 lbs.



#### Model 1075

A quiet, powerful truck. The frame is made of steel angles. The wheels are equipped with high-grade ball-bearings and rubber tires. This truck will glide away under a heavy load quietly and without much effort. Finish, olive green.


Width													
Height Wheel equipme	nt.	. 8	-ir	ich	1 V	vho	eel	s.		•			MS-BF
Weight, net .													. 50 lbs.
Weight, crated												_	. 70 lbs.



#### Model 1074-Truck


This truck is our regular 1076 truck, with folding rack attachment. It was designed for carrying sacks of mail, but we have found that it has many other uses too numerous to mention here.

Weight, net .								62 lbs.
Weight, crated								82 lbs.



#### **Model 1076**


Model 1076 is the same as 1075 except that it has straight crossbars instead of curved.



#### Model 6045

A two-wheeled truck for moving radiators. Similar in design to our Model 6041, except for toe plate. Regularly equipped with alloy tires. If rubber tires are wanted, they must be specified.


Dimensions and weight same as shown under Model 6041.



#### Model 6041

A high grade heavy duty two-wheeled truck that will move a heavy load easily. Frame is of 1½-inch steel angles with heavy cross slats and toe plate, tapering from 14 inches at toe plate to 20¾ inches at end of handles. Wheels are ball-bearing with 1¾-inch tread, alloy tires. Finish, olive green. Handles black.


Width													. 2034"
Height													51"
Wheels						The					*	*	M8-BA
Weight, net Weight, crated.			-										115 lbs.
Weight, Claten.							4	. 4.			*	*	110 100.



#### Model 6042

This heavy duty hand truck is much stronger than our 1075 or 1076, side angles are heavier and reinforced with steel side plates, which also act as axle brackets. Foot rests are reinforced angle iron. Heavy gauge tubular push handles. Finish, olive green. Wheels are ball-bearing with 1½-inch tread, alloy tires.


Width																	
Height Wheels																	
Weight,	11	et														79 1	bs.
Weight.	C	ra	tec	1 -											1:	29 1	bs.



#### Model 2501

A very substantially built truck with push handles designed for universal use. They are drilled so that our standard steel strips and solid sheets may be attached, thus enclosing the truck with slats or solid sheets. The platform is made of solid hardwood, 2 inches thick, with corners protected by steel gussets. The truck may be purchased without push handle equipment or with one or both push handles. Slats and sheets furnished extra. Finish, olive green.


The state of the s			
Length over all		 	. 591/2"
Wilder over all			. 2072
Lengto of platform		 	52
Width of platform	 	 	27"
Height of platform from floor.	 	 	. 121/2"
Height of push bars from floor			37"
Wheel sers, 8-inch	 	 	MS0S-BF
Weight, net	 	 	155 lbs.
Weight crated	 	 	190 lbs.



#### Model 2502

Same as 2501 except smaller in size and lighter in weight and is equipped with M5-inch wheels instead of M8-inch. Finish, olive green.


stead of M8																		
Length over al	1 .															47	1/2"	
Width over al	1 .															23	1/2"	
Length of plat	form	١.															40"	
Width of platfe	orm.				100												22''	
Height of platf	form	fr	om	fl	001	r.	-										8"	
Height of push	bar	s f	roi	n i	floo	or											34"	
Wheel sets								2-	M	50	9-	BF	1	2-1	15	08-	BF	
Weight, net .																85	lbs.	
Weight, crated	١														1	00	lbs.	



#### Model 2507

This truck is the same as 2501 with the exception of the location and type of wheel sets. Equipped with M8-inch swivel casters on one end and M8-inch stationary casters on the other. Finish, olive green.

Length over all										. 59	1/2"
Width over all										. 28	1/2"
Length of platform				,							52"
Width of platform.								*			27"
Weight, net										158	lbs.
Weight, crated										195	lbs.
Height of platform f											
Wheel sets											
Height of push bars	fre	on	n f	lo	or						37"




#### Model 2508

Model 2508 is the same type of truck as 2507 except smaller in size and lighter in weight. It is equipped with M5-inch swivel casters on one end and M5-inch stationary casters on the other. Finish, olive green.

rimsii, onve green.													
Length over all												. 47	1/2"
Width over all												. 23	31/2"
Length of platform.													40"
Width of platform.													99"
Weight, net												88	lbs.
Weight, crated												105	lbs.
Height of platform from	n f	100	r.										8"
Height of push bars fro	m	floo	or	1									34"
Wheel sets				181	M	50	7-1	3F	a	nd	1	1508	BE


8



#### Model 2509

This truck is the same as 2507 except that it has detachable metal stakes instead of push handles.


Length over all									
Width over all									
Length of platform									
Width of platform.									
Weight, net									
Weight crated									
Height of platform									
Wheel sats									
Height of stakes from	om	flo	or						42"



#### Model 2511

Model 2511 is the same as 2507 except that it is equipped with a pull handle on the swivel end instead of the standard push handles.


Length over all,									.55"
Width over all.									.27"
Height of platfor	m								.12"



#### Model 1102

A well-made platform or wagon truck equipped with eight wheels. The wheels on this truck are supported on both sides and the center of the hub, giving a six-point bearing on each of the axles. The platform is made of hardwood, supported by an angle iron frame that is strengthened by heavy steel gussets riveted to the corners. Finish, olive green.

8	
Length over all, not including handle	
Width over all.	.251/2"
Length of platform	. 48"
Width of platform.	. 24"
Height of platform from floor.	
Wheel equipment M1017-BF and M10 Weight, net	
Weight, crated	95 lbs.



### Model 6017—Dolly Truck

This truck is intended for hard usage and is capable of moving heavy loads with very little exertion. The frame is a malleable casting equipped with four stationary ball-bearing alloy wheels. Finish, olive green.


Langth some all										
Length over all .			*							. 21"
Width over all .		-								15"
Height over all .										5"
Wheel equipment								•	N	I4-BA
Weight, net									-	1 lbe
Weight, crated .		-	*							09 11.
reigne, crated .		7	*		140					of IDS.



#### Model 1271-Chassis

Model 1271 is a good, strong chassis with swivel wheels on one end. The swivel heads on this model project above the angle frame necessitating a platform with runners under it. The angle iron frame of this chassis is strengthened by heavy steel gussets riveted across the corners. The wheels are M8-inch pressed steel, ball-bearing and rubber-tired. Finish, olive green.


Length							4814"
Length	E. K.				 	 	 1072
Width							
Inside angle:							
Height from							
Height to to	p of	swive	lior	k.	 		 121/2"
Wheel equip							
Weight, net					 	 	 . 62 lbs.
Weight, crat	ed.				 	 	 . 112 lbs.



#### Model 1272-Chassis

Chassis Model 1272 has a frame constructed of strong angle iron. It is equapped with M8-inch pressed steel ball-bearing, rubber-tired wheels on one end and M10-inch stationary wheels on the other. The forks swivel on double thrust ball-bearings. Finish, olive green.


Length																
Width Inside angle																2434" 24" x 48"
Height from	flo	or	to	bo	ttom	of	aı	ngle								121/4"
Wheel equip Weight, net	me	ent				*				*	M	306	-B	F	and	M1008-BF 70 lbs.
Weight crat	ort										*			-		117 lbs



#### Model 1274—Chassis

A well-built chassis that will shoulder a heavy load. Equipped with silent pressed steel, rubber-tired, ball-bearing wheels. Finish, olive green.


Length Width Inside angle Height from														-		24	24 14 " x 48	
Wheel equip Weight, net Weight, crat	m	ent	t					*		M	80	1-	BF	a	nd	MS	60 lb	F s.



#### Model 6050-Mop Tank

A mop truck supported by a good, substantial chassis of heavy angle iron strengthened at the corners with strong steel gussets. The tanks are made of 16-gauge galvanized sheets with riveted and soldered seams and are supported around the top by flat steel bars riveted and soldered. The bottom is turned down and riveted to the sides, thus giving double thickness of metal for extra strength. Finish, olive green.


Length over all	20 12"
Height over all.  The tanks 19 x 19 x 17" deep, holding 26 gallons each.  M8-BF and M  M8-BF and M	
Weight, ret	155 lbs.
Model $6051$ is practically the same as Model $6050$ except the smaller in size.	at it is
Length over all	17 1/2"
Two tanks 12 x 16 x 14" deep, holding 12 ½ gallons each.  Wheel equipment  M514-BR and	
Weight, net	96 lbs.



#### Model 6046

This truck was designed originally for carrying large cans containing refuse grease in one of the large clubs. Many Hotels and Clubs are now using this truck for the above and also for removing ashes. Finish, olive green.


Length over all	(no	t	inc	du	di	ng	h	an	dle	)										28"
Width over all		*			-									*						35"
Height over all. Weight, net																			100	lbs.
Weight, crated.																			160	Ibs.
Wheel equipmer	it										1	M	40	7-	BF	a	nd	1	1408	S-BF



### Model 6009—Laundry Truck

This truck is the same as Model 2502 except that it is equipped with a detachable bag fastened to iron bars at the top of the truck by means of snap fasteners. It is also equipped with wide steel slats on all sides to prevent bag from bulging out when loaded. Finish, olive green.

#### Size of Bag



#### Model 3302

A light-weight frame of steel tubing so well built that it will carry a load of 500 pounds. The joints are pinned and brazed.

The bag is easily detachable, as it is tied under the top by a draw string—supported by two steel straps across the bottom and two around the frame it will not bulge down or out when loaded. Finish, aluminum.


Diameter over all								*			24"
Height over all Wheel equipment			-								L301-PR
Weight, net											. 31 lbs.
Weight, crated				*		-					. 33 108.



### Model 3301—Bag Truck

A handy pick-up truck with a collapsible detachable bag. The bag securely fastened may be taken off the frame in an instant and another bag as quickly attached. This is a strong, serviceable truck, requires little floor space, and is easy to push about. Finish, olive green.

Height over all															41"
Width over all					-	-									. 2516"
Wheel equipment Size of bag			*							•		19	÷ ,	22	16" x 28"
Weight, net									-		14				40 lbs.
Weight, crated	-	-				-									bo lbs.



#### Model 6010-Linen Service Truck

A neat, well-built, all-steel maid's service wagon, which is a quiet, efficient, light-weight, strong and easy-running carry-all for distributing laundered linen and collecting soiled linen and waste paper.

The shelves and large tray provide ample room for a maid's daily supply of linen, soap, stationery, etc., and the detachable bags carry soiled linen and refuse. Finish, olive green.

									***													
Length over all .																						60"
width over all		-						*														21"
Height over all	-																					52"
I wo bags—Size of	ps	igs										-	2				40	"		15"	×	18"
Three linen shelve	s.								4										-	27"	X	18"
One tray with larg	e c	on	np	ar	tm	en	t	ane	d	thr	ee	81	ma	11	co	m	na i	tn	20	nte		

Wheel equipment
Weight, net
Weight, crated Clearance between shelves. . M506-BR and M8-BF 200 lbs. 300 lbs.



#### Model 1221-Dish Truck Chassis


Our Dish Truck Chassis is constructed from steel angles, strengthened at all corners by steel gussets; it cannot rack or get out of shape. It handles very easily and quietly. Olive green finish. Equipped with ball-bearing, rubber-tired wheels and ball-bearing swivel forks.

	 	-	 		 -		
Length over all							
Width over all							
Over-all height of chas							
Height to first tray su							
Height to second tray							
Wheel equipment							
Weight, met	 			+ +		 	90 lbs.
Weight, crated	 		 			 	130 lbs.

#### Extra Equipment

Mode' O-1220 Cypress tray, inside measurement 2934" x 1934"; 534" seep. This tray is supported and protected at the corners by metal outles, and is finished with an oil filler.

Modes O-1221 Galvanized iron tray same measurements as the Cypress viay.



### Model 6049—Dish Truck Chassis


Chassis construction is steel angles, strengthened and supported by steel gussets at the corners. It cannot rack or get out of shape, Olive green finish. Equipped with "Colson" ball-bearing, rubber-tired wheels and ball-bearing swivel forks.

Length over all Width over all.													,		. 3714"
Width over all.		4													. 2136"
Height over all. Wheel equipment				٠	*		٠	1	is	05	. R	Ė	· an	ä	MIO-RE
Weight, net	-												0		125 lbs.
Weight, crated.															165 lbs.

#### Extra Equipment

Model O-6049 Cypress tray, inside measurement 29½" x 19½"; 5½" deep.

Model O-6049-A Galvanized iron tray same measurement as the Cypress tray.



#### Model 1236-Dish Truck

Chassis construction is steel angles, it is designed for hard use and to eliminate all unnecessary noise. A plain, simple, substantial truck, finished in olive green. Equipped with "Colson" ball-bearing, rubber-tired wheels and ball-bearing swivel forks.

Length over all																				41	N
Width over all.							-												28	134	500
Height over all																				36	3"
Height to first shelf.																			11	134	"
Height to second she	elf																		23	3 1/4	"
Height to third shell							*							-			:			30	-
Wheel equipment											A	150	)5	-B	F	an	d	M	10	-15	Į.
Weight, net	*			*									٠	,			*	1	50	10:	S.
Weight, crated Model O-1236 Cy	nro		:-		in	aid.		i.			-			óo	,			1	30	10	D.
Model O-1237 Gal	Pie	35	od		111	ine	de	ull	ne	nsi	on	5		23	"	X 6	0	12	" "	5	
THOUGH O-1207 OIL		ALZ,	Cu		27.	1112	11.16	LU.		CIL	10	113		~0		V 10	0	2/2	- 4	4.8	




#### Model 1235—Cash Register Truck

Model 1235—Gash Register Track

Model 1235 will be built as illustrated to approximate specifications. The height will vary with the heights of the stands on which registers are carried. Top of the rolls should be same height as bottom of registers. The truck is equipped with rollers turning on ball-bearings, thus providing for the easy loading and unloading of a heavy register. If interested, state the size of register, also height of stand or counter on which register stands.

Finish, maroon. Wheel equipment, M503-BF.



#### Model 1601—Chassis

Model 1601 is a good, strong chassis, finished in olive green. Equipped with M8-inch swivel wheels on one end and M8-inch stationary wheels on the other.

Length over all.									 . 47 1/2"
Length (outside	corner	angle	es).						 44"
Width (outside	corner	angle	s) .		-	. ,			 25"
Over-all height.							 -	·	 35"
Wheel seta									
Weight, net									
Weight, crated.	*								 100 105.

#### Extra Equipment

Model O-1601 cypress box, inside measurements 41¼" x 22½" x 12½", supported and protected at the corners by manal plates; outside of box dark stained and inside oil filled faish.




#### Model 6007-Ice Truck

This truck has an angle iron chassis equipped with two stationary and two swivel casters, with push handle on the swivel end. The tank is made from heavy galvanized iron reinforced around the top with an angle iron frame. The tank is made water-tight and has a drain cock at the bottom. Finish, olive green.

bottom. I'm																		
Length over all																	.50	135"
Width over all																		. 20
Length incide																		10
Width inside. Depth inside.									-				9	4				20"
Height of push				 · m	à		*		*						1			38*
Over-all height	OF	ton	11-						14	14			120					31
Wheel sets										M	80	1-	ВĿ	a	$\mathbf{n}\mathbf{d}$	M	200	-Dr
Weight not												4					190	IDS.
Weight, crated				-						(A)	(0.)	*		4			240	108.

#### COLSON TRUCKS QUIET




#### Models 2515 and 2516-Steel Box Truck

These steel box trucks are so well made that they will stand the abuse of any kind of service. They are good fire insurance. Made of smooth sheet steel finished with a serviceable, air-drying paint, color olive green. Equipped with good, substantial rubber bumpers. Between the bumpers on each end and side is a wooden strip which overhangs the steel edge of the truck.

A more serviceable and better-looking box truck cannot be made.


Model	2515
Inside	Outside
Measurement	Measurement
Length 47"	Length over all
Width 24"	Width overall
Depth	Height over all
Weight, net	150 lbs.
Weight, crated	
Wheel equipment	2-M508-BF and 2-M509-BF
Model	

Model	2516
Inside	Outside
Measurement	Measurement
Length 40"	Length over all
Width 24"	Width overall
Depth	Height over all
Weight, net	135 lbs
Weight, crated	185 lbs.
Wheel equipment	2-M508-BF and 2-M509-BF



Model 6039—Steel Box Truck with Cover Similar in construction to Model 2515 except for the size, location of bumpers and the addition of cover. The cover is made of two pieces hinged on the sides and with hasps for padlock. These trucks protect their contents from fire and theft. Finish, olive green.

	Inside Measurement	Outside Measurement
Length	47 1/8"	Length over all 50"
Width		Width over all 30"
Depth		Height over all
Weight, crated		220 lbs
Wheel equipment		2-M508-BF and 2-M509-BF
Model 6040 is th	ne same truck with	out the steel cover.




#### Model 1231-Library Truck

This stack was especially designed for libraries. Filled with books, it may be moved about easily without injury to the finest mosaic floor. The chastic is constructed of angle iron with heavy steel gussets riveted to the ratners. The ends and shelves are constructed of beautiful polished task. Finish of chassis, olive green.

Model #232 has no rubber bumpers; otherwise same as 1231.

Length of abelves	Space between shelves 13"
Width of shelves 16½" Length over all 39"	Wheel sets M505-BF and M10-BF Weight, net
Width ever all 20" Height avai all 46 ¼"	Weight, crated 200 lbs.




### Model 1233-Library Truck

Model 1233 is an all-steel truck, nicely finished in olive green, a plain, simple, substantial truck. The main frame is constructed of steel angles supported by steel gussets. The shelves are each made of one piece of steel, edges turned down and nicely rounded at the edge. There is nothing about this truck to rattle—it is as quiet as the wooden trucks, equipped with ball-bearing, rubber-tired wheels and ball-bearing casters.

Length of shelves	Height of first shelf from 9"
Width over all	Clearance between shelves12" Weight, net 157 lbs.
Height over all	Weight, crated


Wheel equipment, M507-BF casters, Also equipped with two swivel sets, M507-BF and two stationary sets M508-BF as Model 1234.



#### Model 1330-Bed Truck

A low-slung emergency hotel truck designed for hauling knocked-down beds from room to room. Stout wooden slats on three sides supported by strong steel angle uprights and frame, make this truck strong and substantial. Finish, maroon.


and substantial.																	
Length over all															55	1/2	"
Width over all.					-										26	1/2	"
Height over all.																48	
Height from floo																	
Length inside .							-									51	
Width inside .																	
Weight, net																	
Weight, crated.		10.5		.6					i.	in		D'E		15	SU.	TO:	
Wheel equipmen						-			7/1	OU	1-	BL	and	- 24	10-	137	g.



#### Model 6059

A practical and attractive necessity for any up-to-date store or hotel. The frame of this truck is of steel angles and the sides, back and shelves are of sheet steel. Finish, olive green. The end wheels clear the floor when the truck is balanced on the center wheels.

Length over all.									24	-					2				. 55
Width over all .																			23
Length inside																			. 48
Width inside	*	*																	. 22
Height over all		2		-												*			5214
Height from floor t	0	hr	st	sh	elt		*		×	*,						+			61/2
Clearance between	SI	ier	ve	S.,					à	:	:.		÷.						. 15
Wheel equipment	-								2	M	190	18-	BI	. :	an	d :	2	M	009-B
Weight, net		*												-				2	20 lb:
Weight, crated						*			*	*			100				*	- 2	60 10




#### Model 1367—Tray Truck

Model 1287 is a good, substantial and sanitary truck. The main frame is constructed of steel angles supported by steel gussets. The gussets prevent the racking of the frame—a very common fault with most trucks of this kind. The shelves are each made of one piece of steel, the edges turned down and nicely rounded.

Finish, summinum, and equipped with ball-bearing, rubber-tired wheels and ball-bearing swivel forks.

Length over all   68"   Width over all   24"   Length of seelves   593% "   Width of chelves   23% "   Also exclipped with two swivel see M8-BF as 170del 1368.	Height over all
Weight set 350 lbs	Weight crated 456 lbs




### Model 6011-Serving Truck

This is a strongly constructed carrier designed to meet the demands for a light, serviceable method of carrying trays in hospitals or other institutions. It is noiseless in operation and can be moved easily in any direction with very little effort.

Finished in aluminum. Push handle on one end, Equipped with four swivel wheels; can also be furnished with two swivel and two stationary wheels.


Length over all of truck	Height from floor to first shelf.15* Over-all height of truck
Space between shelves 10"	Weight, crated 200 lbs.



#### Model 1364—Wheeled Instrument Table

A very handy instrument or serving table. Light in weight, but of substantial construction. Corners reinforced with steel gussets, firmly riveted. One-piece steel shelves, folded at edge and rounded. Ball-bearing, rubber-tired wheels. Aluminum finish.

Length over all											. 40"
Width over all											22 12
Length of shelves inside				-	100	100					30%
Width of shelves inside .										-	1994
Height over all.											. 30
Distance between shelve	S.										. 13
Wheel equipment									7	15	14-BR
Weight, net											55 lbs.
Weight, crated							~	241			96 lbs.



#### Model 1366—Dressing Cart

A useful and attractive utility on wheels. Serves many purposes in a hospital. The decks are metal and stationary. Angle iron corner posts. Ball-bearing, rubber-tired swivel wheels. Aluminum finish.

Length over all												13 14
Length of shelves inside. Width of shelves inside.			4	-	1	16		13			. :	3534
Height over all							-					. 34
Distance between shelves Wheel equipment												. 18
Weight, net											6	8 lb
Weight, crated											11	0.16



### Model 6000-Upright Piano Truck


A piano weighing 1000 pounds can be moved by one man—two men can move it quietly and quickly across the ball-room floor. This service is given without injury to the floor or strain upon the piano.

The truck does not interfere with the playing—there are no screws or bolts to apply—simply place the piano upon the truck and leave it there so long as a portable piano is wanted.

Finish, maroon.

Length over-all fr. Width over all .	ram	е.					46"
Height of sano l	oase	fron	ı fle	or			21/2"
Weight, net							. 100 lbs.
Weight, crated .							. 150 lbs.
Wheel equipment							M407-BF

If wanted for Player Piano, size of Piano should be specified.



#### Model 6020-Grand Piano Truck


This truck is similar in construction to Model 6000 except that each wing is adjustable for length, also at the center to any angle. At the end of each wing is a square swivel socket to hold the piano legs.

Truck finished in maroon.

Height of piano l	egs	fı	rom	fl	loc	or				21/2"
Wheel equipment										M407-BF
Weight, net Weight, crated .										. 100 lbs.
Weight, crated .	1727									. 120 lbs.

Dimensions from center to center of legs up to 52''–62''–70''.

For pianos with distance between legs exceeding these dimensions, use Model 6047.




#### Model 6034—Costume Rack

A very substantial rack made of steel angles designed for use in department stores, for display purposes, and also for manufacturers of suits and coats for both men and women.

Finish, maroon.

5"
2"
S"
R s.
s.



#### Model 6034


Showing how the truck can be knocked down for shipping.



#### Model 6048—Dump Truck

A truck that saves many steps in hotels and restaurants. The tank is water-tight and has a drain cock the same as shown on our Model 6050. This truck was originally designed for accumulating and disposing of garbage. Lid feeds down to completely enclose the body when in upright position. Finish, olive green.


Lough over all .																				
Which over all .								193					+				*		24	
Height over all .						6			+	22	· .		01	in		91	1/	31	72 100r	
Tank inside Vyheel equipment									-	11	50	7-	RI	4	ne	11	15	os	-BF	-
as a companent		 		*					9.4		00									



### Model 6018-Marking Table

The Colson Marking Tables are extremely well made, nicely finished and equipped with ball-bearing, rubber-tired wheels and ball-bearing swivel forks. The top and shelf of the table are made of hardwood having a dull finish. Metal parts, olive green finish. This table is designed so that it is easily knocked down for shipping and can be set up easily and quickly by anyone having the rudimental knowledge of assembling.


Length over all																		. 6	35%	*
Width over all														-			4.	- 4	028	
Top	*	9/										47	*				2	1"	60	*
Lower shelf from	n	flo	or							-				16					19	
Top from floor																			20	
Wheel equipme	nt										Λ	15	10	-1	sĸ	SOT	uar	e si	nan	A
Weight, net Weight, crated		1 6			 	 		,										210	lb.	-
weight, crated			-/-			- 4	4	- 0	*									W 8.50		200



### Model 6035-Marking Table

Colson Marking Tables are timesavers in any store, and also have many other uses. This truck is all steel, olive green finish, and has all ball-bearing, rubber-tired swivel wheels.


Length of shelf.																. 96"
Width of shelf		*	-					*	-		*		14		i	. 24
Length over all.						(*)									-	97 4
Width over all .							 		*		-					2412
Over-all height.							4									. 53"
Height of lower	she	lt :	tro	m	flo	or			41	-						1116
Height of upper	she	elf	fre	om	fle	or			10				*			37 11"
wheel equipmen	ıt.													1	15	07-BE
weight, net															-3	50 lbs.
Weight, crated.									*						4	67 lbs.



# Model 6036—Marking Table

Same as Model 6035 except for length and center partition.

Length of shelf Width of shelf .														. 7	2"
							-		10.			*		73	1,11
Width over all														94	30
Over-all neight.														. 6	53"
weight, net													29	0 1	
														00 1	
Wheel equipment								14		-		1	150	)7-1	31




### Model 6037—Marking Table

Is similar to Model 6036, but does not have the back enclosed above the top shelf. This model is used by department stores that do not require a larger truck, such as Model 6035 or 6036.


Finish, olive green. Ball-bearing, rubber-tired swivel wheels on both ends of the truck.

Length of shelf											. 60"
Width of shelf					6	-					. 24"
Length over all											. 63"
Width over all									*		.241/2"
Over-all height							- 1	 (0)		- 4	. 48"
Height of lower	shell	tr	om	floor			* 1				1216
Height of upper Wheel equipmer	snei	1 11	om	1100	r.			 *		iris	07 RF
Weight, net	и.	* 1			-					1	76 lbs
Weight, crated										. 2	50 lbs.



#### Model 6038

Same as Model 6037 except that the end panels do not extend beyond the top of the upper shelves.



Model 6043 Factory Service Box Truck

An all steel box truck designed to be used as a large tote box on wheels for handling parts from the first operation to the finished stock room.

With a fleet of these trucks your material is always ready to move from one machine to another or to different departments.


Finish, olive green.

#### Box Measurements

Length over all Width over all												201/4"
Inside length .												. 36"
Inside width . Inside depth .										-		163/4"
Over-all height	of	tr	uc	k								231/4"
Wheels Weight, net								*		M	50	7-BC1 20 lbs.
Weight, crated											1	60 lbs.



The illustration above shows only a few of our Model 6043 in use in our own factory.




### Model 6044 Factory Service Shelf Truck

A general purpose factory truck that is used for handling raw or finished stock, also tools and pags. Angle iron frame with steel shelves.


### Finish, olive green.

Over-all length										,			421/2"
Over-all width	-							-					241/2"
Over-all height													. 40"
Height of lower	sl	nelf	fro	m	flo	or							71/2"
Height of upper	S	helf	fre	m	flo	oor							. 29"
Wheels											M	50	7-BCI
Weight, net .												1.	47 lbs.
Weight, crated	*						7					19	07 lbs.
ricigile, craced					-				-			-	



The illustration shows only a few of our Model 6044 in use in our own factory.

#### COLSON TRUCKS QUIET



#### Model 6002—Wheel Stretcher

The frame is made of steel tubing light in weight and of a tested strength equal to any strain that is likely to be put upon it. All joints are made with malleable castings or steel stampings pinned and brazed to the steel tubing.


The detachable litter is made of steel channel with a good substantial rubber bumper entirely surrounding it. The litter frame is made with a solid sheet steel top. These litters may be made permanent or a fixed part of the stretcher by fastening them to the main frame with four bolts provided for this purpose.

Wheel equipment is the very best. The Colson pressed steel ballbearing, rubber-tired wheels and all steel ball-bearing swivel forks for swivel wheels and extra heavy bicycle type wheels on the stationary axle.

axle.

Finish, aluminum. It is a hard, smooth finish that looks like dull nickel. It will withstand more wear and cleaning than any other adhesive finish and will not chip like the hard enamels.

Height over all							33"
Length over all Width over all							96"
Diameter of large ball-bearing wheels							94"
Diameter of small ball-bearing wheels							10"
Diameter of large cushion rubber tires Diameter of small cushion rubber tires			+				114"
Weight pet							11"
Weight, net							110 lbs.
	-	-					150 108.



### Model 6025—Wheel Stretcher

Model 6025 is equipped with the same litter and wheels as described under Model 6002 except that the litter is a permanent part of the stretcher and not detachable. The finish is the same as described under 6002.

The chassis or main frame is made of steel angles reinforced with steel gussets. This angle frame, supported as it is by steel gussets, is stronger than it is possible to make a tubular construction with either brazed or welded joints.

Joints.								
Height over all Length over all								33"
Length over all				*		*		72"
Width over all								00"
Diameter of large ball-bossing at 1					-		9 9	20
Diameter of small ball-bearing wheels			m. ( ) 41		*			10"
Diameter of large cushion rubber tires							1 12	11/1
Diameter of small quality and the								1 24
Diameter of small cushion rubber tires Weight, net	(0)							1"
Weight, net Weight, crated							113	ilbs.
Weight, crated.							180	lbs.


### Model 6005—Wheel Stretcher

Model 6005 is the same as 6025 except that the bed of the litter is made of woven steel strips instead of solid steel sheet.


### Model 6056 Wheel Stretcher

Model 6056 is the same as Model 6025 except that it has four swivel wheels instead of two swivel and two large wheels on a stationary axle.

### There is a Colson Wheel for Every Use Ball Bearing Rubber, Alloy or Steel Tires




L2" Wheel




L3" Wheel



M4" Wheel



M5" Wheel



M8"-10" Wheels

This preservation photocopy was made at BookLab, Inc. in compliance with copyright law. The paper meets the requirements of ANSI/NISO 239.48-1992 (Permanence of Paper)



Austin 1996



